

# Product datasheet

Specifications



## APC SERVICE BYPASS PDU, 230V 16AMP W/ (6) IEC C13 AND (1) C19

SBP3000RMI

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	230 V
Product or component type	Bypass kit
Main Output Voltage	230 V
Input Connection Type	IEC 60320 C20
Number of rack unit	2U
Cable length	2.5 m
Number of cables	1
Provided equipment	User manual Rack mounting brackets
Range of product	Maintenance Bypass Panels

### Physical

Colour	Black
Height	89 mm
Width	432 mm
Depth	76 mm
Net weight	2.09 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Rack-mounted

### Input

Network frequency	50/60 Hz
Permissible voltage	220...240 V
Max line current	16 A
Input current limits	16 A
Load capacity	3000 VA
Power factor	0...1

### Output

<b>Max current draw</b>	16 A
<b>Number of power socket outlets</b>	6 IEC 60320 C13 1 IEC Jumpers 1 IEC 60320 C19
<b>Number of power socket outlets</b>	7
<b>Protection type</b>	Circuit breaker
<b>Power cable length</b>	1.00 m
<b>Efficiency</b>	99 %

## Conformance

<b>Product certifications</b>	VDE
<b>Standards</b>	EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018

## Environmental

<b>Ambient air temperature for operation</b>	0...40 °C
<b>Relative humidity</b>	0...95 %
<b>Operating altitude</b>	0...15000 ft
<b>Ambient air temperature for storage</b>	-15...45 °C
<b>Storage Relative Humidity</b>	0...95 %
<b>Storage altitude</b>	0...15240 m

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	15.1 cm
<b>Package 1 Width</b>	29.5 cm
<b>Package 1 Length</b>	46.3 cm
<b>Package 1 Weight</b>	3.91 kg

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	7a19864b-8bf5-40ac-85e8-7678b0910185
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

